

REACT AIR IMPACT

Commercial Air and
Surface Pathogen
Neutraliser



T. 01329 800650

www.artisanenvironmental.co.uk

F4 Fareham Heights | Standard Way | Fareham | Hampshire | PO16 8XT

React-Air Impact

Commercial Air and Surface Steriliser

The React-Air Impact is a portable air and surface steriliser designed for use in commercial environments. Using a UVC technology, the powerful fans drive the airflow through the decontamination chamber, neutralising bacteria, viruses, pollen and odours, delivering clean and sterile air to a room.

The Impact is also a powerful ozone generator, which can be set to activate when a room is unoccupied, filling the environment with ozone gas. When the ozone comes in to contact with items and surfaces, it eradicates viruses and bacteria, sterilising everything it touches

Multiple Impacts are connected via WiFi or 4g, to allow you to manage the settings on all devices through a single unit or through our desktop and mobile app. Real-time and historic data on airflow, air quality, and ozone sterilisation can also be viewed on our desktop and mobile applications.

Ozone Release, UVC Times can be set using the UVC touch screen. The Impact also contains a powerful sensor array that monitors Air Exchanges, Air Quality and UVC Dose. This information is displayed on the screen to give users extra peace of mind.



What is UV-C?

The Technology Explained




What is UVC?

How does the React-Air Impact neutralise viruses in the air?

UVC light is highly effective at decontamination because it destroys the molecular bonds that hold together the DNA of viruses and bacteria. UVC light has been regularly used to decontaminate surgical tools and hospital rooms.

The Impact draws air into its extraction vents which are specifically located at shoulder height, so as to capture as many virus particles as possible. The air then passes through a medical-grade HEPA filter, trapping any larger contaminants, and finally through a high intensity UVC chamber, capable of delivering a dose of over 240J/M3 - enough to neutralise even the most resilient coronaviruses studied. The high power, variable fan can circulate up to 1504 metres cubed of air per hour - enough to give 9 air cycles per hour in an average 50 person office space.



How does Ozone Work?

Advanced Surface Sterilisation



How Does Ozone Work?

Advanced Surface Sterilisation



Viruses and bacteria can be neutralised with alcohol and hydrogen peroxide, however, these substances cannot be used on some surfaces, and will only be effective on items and surfaces which can be reached. Ozone gas will penetrate hard to reach areas, fabrics and rough or uneven surfaces. This makes ozone gas a valuable addition to standard cleaning and disinfection practices.

The Impact contains 2 high powered ozone discharge plates which operate as a separate function from the air cleaning UVC technology. Ozone can be harmful if inhaled so the Impact can be set, by an authorised user with a password, to be released when the room is empty. This can be set on a timer function and an audible and visual warning is given before ozone is dispersed, with an emergency shut-off feature, should anyone still be in the room.

Once the ozone cycle is complete, the Impact switches back to UVC mode to eliminate any trace ozone, faster than it's natural half-life conversion back to oxygen.

Advanced Monitoring

Peace of Mind for Staff and Users



Advanced Monitoring


Peace of Mind for Your Staff and Building Users

The touchscreen control of the Impact can be used to set fan speed, UVC dose and adjusted to neutralise different types of bacteria and viruses from the air.

But the Impact also contains a complex sensor array which actively monitors Air Quality (AQI) and air exchanges within the room it is placed. This information is synced wirelessly with our cloud platform so that information is always available to building managers, across multiple units and multiple sites.

The touchscreen can also be set to display this data. This is highly effective for creating peace of mind for building occupants, delivering air cleaning that can actually be seen in real time, on each Impact unit.

The data is available through our React-Air mobile app and on our online web-based app, delivering confidence that you are meeting your duty of care.



Technical Specifications



Technical Specifications

React-Air Impact

Supply Voltage	230V A/C
Fan Dimension	355 mm
Minimum Power Consumption	440 W
Maximum Power Consumption	521 W
Average Power Consumption	460 W
Average Air Flow (with HEPA filter)	1504 M3 Per Hour
Dimensions (W / D / H)	400 mm x 400 mm x 1210 mm
Weight	45 Kg
Noise Level (min / max)	20db - 40db (varies with fan speed)
Dominant Wavelength	253.7 nm
Radiated Power (UVC) Per Lamp	6.9W (110.4W Total)
Total BC Flux	94.94 W
Volume Bacterial Dose at Average	273.44 J/M3
Lamp Lifetime (Average)	6000 - 9000 hours
HEPA Filter Lifetime (Average)	12 Months



For more information call **01329 800650**



T. 01329 800650 E. enquiries@artisanenvironmental.co.uk

F4 Fareham Heights | Standard Way | Fareham | Hampshire | PO16 8XT

www.artisanenvironmental.co.uk